





600mm x 600mm flat sealed composite cover with an aluminium frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

**FIBRELITE**   
PART OF OPW A DOVER COMPANY



LOAD RATING	COVER WEIGHT	FRAME WEIGHT
A15	10.5 Kg	10 Kg
B125	12 Kg	10 Kg
C250	20 Kg	10 Kg
D400	23 Kg	10 Kg
E600	32 Kg	11 Kg
F900	35 Kg	11 Kg

600mm x 600mm flat sealed composite cover with an aluminium frame.


For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

**FIBRELITE**   
PART OF OPW A DOVER COMPANY


## CONCRETE

### VERY IMPORTANT


OUTER EDGE "A" OF FRAME SET 5MM ABOVE GENERAL FORECOURT AREA WITH CONCRETE RAMPED AWAY OVER 300MM



## TARMACADAM



## SETTS



600mm x 600mm flat sealed composite cover with an aluminium frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

**FIBRELITE**   
PART OF OPW A DOVER COMPANY