
- Substations
- Power Plants
- Co-Gen Facilities
- Wind Farms
- Refineries
- Universities
- Correctional Institutions
- Industrial Plants
- Telecommunication
 Sites
- Waste Water Treatment Plants



Fibrelite Trench Lids

Manufactured from high performance polymers and engineered to outperform similar products made from concrete and fiberglass reinforced concrete materials, these lids are lightweight, yet tough enough to withstand harsh field conditions.



Developed over 50 years ago by Trenwa - precast concrete trench is our specialty. With four modern, strategically located plants, we are the country's leading producer of durable, precast trench systems in the broadest range of types and sizes.

Trenwa - Tough Enough to Trust

www.trenwa.com

Page: 1 of 5

Tel: +1 859 781 0831 **Fax:** +1 859 781 1085 **Email:** info@trenwa.com

Why Fibrelite?

Fibrelite has been at the forefront of composite quality and innovation since 1980 when we designed the world's first FRP composite manhole cover for the retail petroleum industry. And our high-performance, lightweight and safe-to-lift composite covers are now selected by specifiers, architects and engineers worldwide.







Fibrelite covers are corrosion resistant

Why Choose a Fibrelite Trench Cover?

Although FRP composite covers are now increasingly preferred to the traditional metal or concrete options - not every composite cover is going to perform to the highest standards year after year.

With a Fibrelite trench cover you can be sure that you have a high performance product created via resin transfer molding (RTM) to create a durable, monolithic cover that you can fit-and-forget. What's more, each one will have been individually engineered under the watchful eye of our technical teams in our own manufacturing facilities in the USA, UK and Malaysia.













Developed over 50 years ago by Trenwa - precast concrete trench is our specialty. With four modern, strategically located plants, we are the country's leading producer of durable, precast trench systems in the broadest range of types and sizes.

Tel: +1 859 781 0831

Fax: +1 859 781 1085

No Risk of Theft

There is no risk of theft with a Fibrelite composite cover as composites have no resale value in the scrap market - so you won't be left with a dangerous, uncovered hole in the ground.



Durability

Designed as a 'fit-and-forget' product, our FRP composite covers are maintenance-free, durable and very strong as a matter of course.



Skid Resistance

Independent wet and dry tests carried out by Devon CC Materials Laboratory (UK) showed that Fibrelite trench covers - even when wet - had anti-slip properties equivalent to a modern high grade road surface which far exceeds health and safety advisory limits.



Corrosion Resistance

A prime reason for selecting a composite cover is because of its inherent resistance to corrosion making it an obvious choice where water, wastewater or corrosive liquids are involved. They are also ideal where underground infrastructure requires protection from external corrosive compounds such as salt.



Ergonomically Lifting Handle


As well as being lightweight - typically a third of the weight of an equivalent-size cover produced in metal or concrete - the ergonomically designed lifting aid has the added benefit of eliminating the risk of back injury and crushed fingers.



Developed over 50 years ago by Trenwa - precast concrete trench is our specialty. With four modern, strategically located plants, we are the country's leading producer of durable, precast trench systems in the broadest range of types and sizes

Tel: +1 859 781 0831 Fax: +1 859 781 1085 Email: info@trenwa.com

Engineering Specifications



- Lightweight composite construction
- Chip and crack resistant
- Freeze / thaw cycle impervious
- Non-conductive
- Chemically inert
- Exceeds service requirements
- 15 year warranty

- Anti-slip / anti-static surface
- Non-corrosive
- Custom colors available
- No scrap value
- Weather resistant
- Maintenance free
- UV stable

<u>"</u> % <u>"</u> %		W	
<u> </u>	-		0
* * *	6		√°5
27.	B*2		B*2

COVER CODE	W = WIDTH (INCHES)	L* = LENGTH (INCHES)	B*2 = BEARING	WEIGHT (LBS)	
LPF16-60	16	60	2 1/4"	24	
LPF26-60	26	60	2 1/4"	37	
LPF30-60	30	60	2 1/4"	44	* * *
LPF36-60	36	60	2 1/4"	53	1/4"
LPF46-30	46	30	2 ¹ /4"	35	2 1/4" BEARING*2
LPF46-40	46	40	2 ¹ /4"	44	
LPF54-30	54	30	2 1/4"	40	
LPF54-40	54	40	2 1/4"	53	
APF22-60	22	60	3 1/4"	33	(5
APF32-60	32	60	3 1/4"	46	3 1/4" BEARING
APF42-60	42	60	3 1/4"	60	31 EAF
APF52-30	52	30	3 1/4"	37	

W

A

A

A

PED LOAD RATING

* +0 / -1/16" TOLERANCE

*2 +/- 1/4" TOLERANCE

Developed over 50 years ago by Trenwa - precast concrete trench is our specialty. With four modern, strategically located plants, we are the country's leading producer of durable, precast trench systems in the broadest range of types and sizes.

Tel: +1 859 781 0831

Fax: +1 859 781 1085 Email: info@trenwa.com