


Fixed height 300mm deep, 300mm dia solid base sump with a 300mm dia. flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE




Fixed height 300mm deep, 300mm dia solid base sump with a 300mm dia. flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.



 S0SH-1120
 Issue: 09/07/2018
 Page: 2 of 4
 © Copyright



Fixed height 300mm deep, 300mm dia solid base sump with a 300mm dia. flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.




**Page:** 3 of 4 S0SH-1120 Issue: 09/07/2018


© Copyright

VERY IMPORTANT
SET OUTER EDGE 'A' OF
FRAME 25MM ABOVE GENERAL
FORECOURT AREA RAMPED
AWAY OVER 450MM.

## TYPICAL INSTALLATION



## ALTERNATIVE INSTALLATION ADVICE



Fixed height 300mm deep, 300mm dia solid base sump with a 300mm dia. flat sealed cover and frame.

S0SH-1120

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE PART OF OPW A DOVER COMPANY