


Electrical Drawpit - 600mm cubed GRP chamber with a 110mm deep skirt, 600mm square flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

**FIBRELITE**   
PART OF OPW A DOVER COMPANY



FL60 COVER

FL60 FRAME  
WITH BONDED SKIRT


S2 CHAMBER

PCE-1-KIT  
(ORDER SEPARATELY)


Electrical Drawpit - 600mm cubed GFRP chamber with a 110mm deep skirt, 600mm square flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.






MAX. 100mm Ducts  
 Single bank of 3 ducts  
 in two opposing sides  
 and single bank of 2 ducts  
 in adjacent sides




**VERY IMPORTANT**  
 OUTER EDGE "A" OF FRAME  
 SET 5 - 10MM ABOVE GENERAL  
 FORECOURT AREA WITH  
 CONCRETE RAMPED AWAY  
 OVER 300MM

**TYPICAL INSTALLATION**



**ALTERNATIVE INSTALLATION ADVICE**



**TARMACADAM**

