


490mm x 600mm GRP chamber with a GRP spill container with an intergrated drainback system and 762mm diameter round flat sealed cover.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE 
PART OF OPW A DOVER COMPANY






490mm x 600mm GRP chamber with a GRP spill container with an intergrated drainback system and 762mm diameter round flat sealed cover.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE 
PART OF GPW A DOVER COMPANY

Spill Containment
Capacity = 32 Litres




490mm x 600mm GRP chamber with a GRP spill container with an intergrated drainback system and 762mm diameter round flat sealed cover.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE 
PART OF OPW A DOVER COMPANY

TYPICAL INSTALLATION



! VERY IMPORTANT !
 OUTER EDGE "A" OF FRAME
 SET 5 - 10MM ABOVE GENERAL
 FORECOURT AREA WITH
 CONCRETE RAMPED AWAY
 OVER 300MM



ALTERNATIVE INSTALLATION ADVICE

SETTS

