


862mm x 862mm x 675mm deep solid base sump with a corbel and 760mm dia. flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.




FIBRELITE 
PART OF OPW A DOVER COMPANY



862mm x 862mm x 675mm deep solid base sump with a corbel and 760mm dia. flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE 
PART OF OPW A DOVER COMPANY




862mm x 862mm x 675mm deep solid base sump with a corbel and 760mm dia. flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE 
PART OF OPW A DOVER COMPANY


VERY IMPORTANT
 OUTER EDGE "A" OF FRAME
 SET 5 - 10MM ABOVE GENERAL
 FORECOURT AREA WITH
 CONCRETE RAMPED AWAY
 OVER 300MM

TYPICAL INSTALLATION




ALTERNATIVE INSTALLATION ADVICE

SETTS



TARMACADAM



862mm x 862mm x 675mm deep solid base sump with a corbel and 760mm dia. flat sealed cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

