


57" dia. FRP sump with 54" tank collar ring connection, corbel, skirt, internal lid, 36" dia. flat sealed cover with offset manual dip cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.


**FIBRELITE**   
PART OF OPW A DOVER COMPANY



57" dia. FRP sump with 54" tank collar ring connection, corbel, skirt, internal lid, 36" dia. flat sealed cover with offset manual dip cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

**FIBRELITE**   
 PART OF OPW A DOWDER COMPANY




57" dia. FRP sump with 54" tank collar ring connection, corbel, skirt, internal lid, 36" dia. flat sealed cover with offset manual dip cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

**FIBRELITE**   
PART OF OPW A DOVER COMPANY


**VERY IMPORTANT**  
 OUTER EDGE "A" OF FRAME SET 1/4 - 1/2" ABOVE GENERAL GRADE AREA WITH CONCRETE RAMPED AWAY OVER 12".

**TYPICAL INSTALLATION**




**ALTERNATIVE INSTALLATION ADVICE**

**BLACKTOP**



**SETTS**



57" dia. FRP sump with 54" tank collar ring connection, corbel, skirt, internal lid, 36" dia. flat sealed cover with offset manual dip cover and frame.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

